

Message

---


**From:** Sharada Maligireddy [smaligireddy@ndep.nv.gov]  
**Sent:** 4/24/2017 4:21:56 PM  
**To:** Whitson, Amelia [Whitson.Amelia@epa.gov]  
**Subject:** NV0024228  
**Attachments:** removed.txt; FactSheet\_PermitNumNV0024228\_Draft1.pdf; Permit\_PermitNumNV0024228\_Draft1.pdf

Good morning Amelia.

Please find attached the Fact Sheet and Permit Draft for #NV0024228, and please let me know your feedback & suggestions.

- On my end, I reviewed the Permittee's 75% design documents and the mixing zone data & calculations.
  - Through this review period, the Permittee was able to communicate the actual resin make up, other logistics , design & operational details specific to some of the factors that might affect the discharge characteristics, likely frequency of material replacements etc which were originally missing from their documents.
- The draft1 has gone through staff comments & revisions for the last three weeks.
- I am hoping I was able to incorporate the feedback for the recent other NV permit(Hudsons) from you too.
- The Permittee sought a meeting this Wednesday to discuss their feedback/comments. I am still waiting on their actual feedback & comments. Time permitting, I would like to consult with you on those if relevant.

Thanks in Advance for your time on this.



Sharada Maligireddy  
Bureau of Water Pollution Control  
Nevada Division of Environmental Protection  
901 South Stewart Street, Suite 4001  
Carson City, NV 89701  
p: (775) 687-9432 f: (775) 687-4684  
smaligireddy@ndep.nv.gov  
[www.ndep.nv.gov](http://www.ndep.nv.gov)